

SERIAL NO: \_\_\_\_\_

**AI**  
ALUMINIUM 7020



CE

**Customer Contact Details**

Customer Name: _____	Ship to Customer Address: <input type="checkbox"/>
Advisor: _____	Shipping Name: _____
Address: _____	Shipping Address: _____
_____	_____
_____	_____
Phone: _____	Phone: _____
Email: _____	Email: _____

**Additional Information**

Notes: _____	Current Wheelchair: _____
_____	Customer Weight: _____
_____	Customer Height: _____
_____	Customer Disability: _____

**Other**


<p><u>VAT Exemption Declaration (UK Only):</u> I declare that I am chronically sick or disabled by reason of: _____ and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994. Signature: _____ Date: _____</p>	<p><u>RGK Contact Authorisation:</u> From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party. I would like to be contacted by RGK: <input type="checkbox"/> Signature: _____ Date: _____</p>
--	--

Guide:

- Base product
- Required option
- Optional Extra
- Critical Information
- Information Needed

## PRODUCT STYLE

- PDAXZ010 PREDATOR**  
**\$7,835.00**
- XA600 Heat treated frame
- XA240 Loose build fitting process  
\$426.00



Max User Weight 125kg (275lbs)





PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM

## CAD APPROVAL

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> XW009 QUOTE ONLY (NO CAD FOR APPROVAL)<br/>\$0.00</li> <li><input type="checkbox"/> XW012 QUOTE CAD drawing for approval<br/>\$421.00 (2 customer amendments ONLY)</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> XW011 ORDER (NO CAD FOR APPROVAL)<br/>\$0.00</li> <li><input type="checkbox"/> XW010 ORDER CAD drawing for approval<br/>\$260.00 (2 customer amendments ONLY)</li> </ul> |
|---|--|

## KEY MEASUREMENTS

- XY010 Seat width *(Inside to inside of sideguards)*  
  mm *(Max - 500mm)*  
*(Min - 250mm)*
- XY020 Seat length  
  mm *(Max - 500mm)*  
*(Min - 250mm)*
- XY030 Extra seat length *(Provides additional leg support & hand grip)*  
  mm
- XY050 Front frame height  
  mm
- XY060 Rear frame height  
  mm *(Min - 280mm)*
- XY070 Frame length  
  mm *(Min = XY020 + XY030 + 140mm)*
- XA020 Ergonomic seat  
\$80.00  
*Specify length*  
  mm *(Standard = 120mm)*



**FRONT FRAME AND SEAT**

Front Frame Options (Choose One)


XA061 Seat taper V-front design

*Specify taper width*

mm

*Specify front width*

mm (Std = 200mm)



XA130 V-seat design  
\$212.00

*Specify taper width*

mm

*Specify front width*

mm (Std = 200mm)

**NOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED**

**FOOTREST**

Fixed Footrest

PDAXB080 Fixed position footrest

Height and Position


Front footrest height

mm (min = 35mm) 

Rear footrest height


mm (min = 35mm) 

Footrest position  
(front of footplate to castor pot)


mm 

Footrest Size (Not ABS)

Footrest width

mm (Std= 200mm) 

Footrest length

mm (Std = 250mm) 

Footrest Plate

XB180 Aluminium footplate 2.5mm

XB100 ABS moulded foot tray  
\$129.00

*Specify length*

mm Max = 380mm (Full)  
Std = 330mm

PDAXB140 Spacer kit  
\$19.00 (Allows for 25mm increase in height)

Adjustable Footrest

PDAXB130 Adjustable position footrest  
\$352.00 (Heavy duty)

Height and Position


Front footrest height

mm (min = 40mm) 

Rear footrest height

mm (min = 40mm) 

Footrest position  
(front of footplate to castor pot)


mm 

Footrest Size (Not ABS)

Footrest width

mm (Std= 200mm) 

Footrest length

mm (Std = 250mm) 

Footrest Plate

XB180 Aluminium footplate 5mm

XB100 ABS moulded foot tray  
\$129.00

*Specify length*

mm Max = 380mm (Full)  
Std = 330mm

Footrest Plate Options

XB240 Aluminium raised edges  
\$75.00 (Cost per Edge)

Front  Back  Left  Right


*Specify height*

(Max = 60mm)

Castor Pin Width

XY330 Castor pin width

mm  Optimise measurements




**CAMBER BAR, WING AND ANTI-TIP**

Fixed Centre of Gravity

PDAXY510 Fixed centre of gravity

mm

(dimension taken from front of back rest to centre of axle)



Specify Camber Angle

XY390 Camber angle

18  
 (5/8" axle diameter only)

Wing Options (Choose one)

PDAXA126 **Defensive** rugby wing

PDAXA127 **Offensive** rugby wing  
\$1,075.00 (select options below)

- Full upper wing       Partial upper wing
- Full lower wing       Partial lower wing

Wing details/drawings (use page 9 if req'd)

Picker Options (Choose one)

PDAXA400 **Defensive** rugby picker bolt on  
\$876.00 (Draw requirements in opposite box)

PDAXA450 **Offensive** rugby picker fixed  
\$262.00 (Draw requirements in opposite box)

Specify width (max 200mm)

mm

Specify depth

mm

Picker details/drawings (use page 9 if req'd)

Anti-tip options

PDAXJ060 Anti tip double sport welded

XJ300 Anti tip low mount cross bar  
\$83.00

PDAXJ200 Anti tip aluminium welded plate covers  
\$367.00

PDAXJ210 Anti tip plastic plate covers  
\$269.00

### SIDEGUARDS

#### Sideguard Style


- PDAXE230 Welded aluminium sport  
\$375.00
- XE310 High design upgrade  
\$176.00  
*(Only with option PDAXE230)*




- XE030 Screw on aluminium  
\$176.00
- PDAXE250 Welded aluminium tubes only  
\$175.00

#### Sideguard Measurements


- Sideguard length
- Sideguard height




- Individual above tyre  
*(Follow tyre)*
- Individual below tyre  
*(Follow tyre)*
- Level with tyre  
*(Follow tyre)*




#### Sideguard Design (Choose One)



Straight design



Round design




Follow tyre


### BACKREST

#### Backrest Height (Choose One)

- XY230 Fixed backrest height  
*Specify height*




- XY245 Adjustable backrest height  
\$132.00  
*(+/-25mm)*  
*Specify height*




#### Ergonomic Options


- XY360 Backrest angle  
-5  -3  0  +3  +5  
*Individual*   
*(Max -10/+10 Deg)*




- XG100 Ergonomic backrest  
\$80.00  
*Vertical height*  
  
*Rearward position*



- XG110 Inward taper  
\$80.00  
*(inside of backrest posts)*  
*Specify width or per side*



- XG120 Outward flare  
\$80.00  
*(inside of backrest posts)*  
*Specify width or per side*



CASTOR AND REAR WHEELS			
Castor Wheels & Forks			
<input type="checkbox"/> XC160	Sport 61mm castor <i>(Black)</i>	<input type="checkbox"/> XC200	Sport micro fork <i>(Black)</i>
<input type="checkbox"/> XC170	Sport 72mm castor <i>(Black)</i>	<input type="checkbox"/> XC181	Castor wheel bearing Bones Reds
REAR WHEELS			
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels	<input type="checkbox"/> XY430	25" Wheels
Wheel Gap (Choose one)			
<input type="checkbox"/> XY460	Rear wheel gap	<input type="checkbox"/> XY470	Inside to inside of wheel
<div style="display: flex; justify-content: space-around; width: 100px;"> <span>-10</span><span>-5</span><span>0</span><span>5</span><span>10</span><span>15</span> </div> <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div> <p style="font-size: 8px; margin-top: 2px;">Individual <span style="float: right;">mm</span></p>	<p>XY460</p>	<div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div> <p style="font-size: 8px; margin-top: 2px;">mm</p> <p style="font-size: 8px; margin-top: 2px;">NOTE: REQUIRED FOR V SEAT AND TAPER</p>	<p>XY470</p>
Rear Wheel Options			
<input type="checkbox"/> XK331	Spinergy <b>SLX R10</b> heavy duty 24 spoke <i>(Defensive &amp; Offensive)</i>	<input type="checkbox"/> PDAXK333	Spinergy <b>XSLX R10</b> heavy duty 24 spoke <i>(Offensive)</i> <b>\$73.00</b>
<b>Spinergy Colour Options</b>			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> XK180 Individual spoke design <i>(Specify colour)</i> <b>\$175.00</b>  Inside: _____  Outside: _____
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	
Supply Without Wheels			
<input type="checkbox"/> PDAXK040	Supply without Wheels <b>-\$651.00</b>		Wheel Type: <input style="width: 150px;" type="text"/> Tyre Type: <input style="width: 150px;" type="text"/>
Handrim Position / Options			
<input type="checkbox"/> XL075	Narrow set handrim <i>(10mm gap with tabs cut off)</i> <b>\$101.00</b>	<input type="checkbox"/> XL085	On rim handrim <i>(No gap, tabs cut off)</i> <b>\$251.00</b>
<input type="checkbox"/> XL080	Super narrow set handrim <i>(5mm gap with tabs cut off)</i> <b>\$203.00</b>		
Handrim Style			
<input type="checkbox"/> XL010	Aluminium hard anodised <b>6 tab</b>	<input type="checkbox"/> XL200	Red Rubber Coated <b>\$515.00</b>
<input type="checkbox"/> XL070	Aluminium hard anodised <b>12 tab</b> <i>(24" not available)</i> <b>\$101.00</b>	<input type="checkbox"/> XL050	Stainless steel 6 tab <b>\$132.00</b>
Handrim spokeguard Options			
<input type="checkbox"/> XL500	Spokeguard poly dish offensive <i>(riveted to hand rim)</i> <b>\$352.00</b>	<input type="checkbox"/> XL505	Spokeguard poly dish defensive <i>(mounted to wheel rim)</i> <b>\$280.00</b>
		<input type="checkbox"/> XL515	Spokeguard poly dish raised defensive <i>(Only with XL200 and XK331)</i> <b>\$443.00</b>
Tyre Options			
<input type="checkbox"/> XM010	Kenda	<input type="checkbox"/> Grey	<input type="checkbox"/> Red
		<input type="checkbox"/> Blue	<input type="checkbox"/> XM080 Tufo MS3 tubeless <b>\$83.00</b>
<input type="checkbox"/> XM075	Kenda Kaliente	<input type="checkbox"/> Red	<input type="checkbox"/> Blue
<b>\$33.00</b>			<input type="checkbox"/> XM090 Tufo MS3 tubeless <i>(24" only)</i> <b>\$83.00</b>
Spare Wheel			
<input type="checkbox"/> PDAXK500	Spare wheel Spinergy <i>(All inclusive + axle pin)</i> <b>\$1,169.00</b>	<input type="checkbox"/> PDAXK525	Spare wheel upcharge - On rim handrim <b>\$125.00</b>
<input type="checkbox"/> XK524	Spare wheel upcharge - Individual Spoke Colour <b>\$88.00</b>	<input type="checkbox"/> PDAXK510	Spare axle pin 5/8" <b>\$54.00</b>
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve	<input type="checkbox"/> XY490	Presta inner tube valve <i>(Standard if no option selected)</i>

**FRAME FINISH**

Frame Finish

PDAXN040 Raw Frame

Accent Colour (Choose One)

**Note:** Accent colour includes, forks, castor caps, and decals.

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> Black accent  | <input type="checkbox"/> Silver accent | <input type="checkbox"/> XN250 Individual accent<br>\$172.00                              |
| <input type="checkbox"/> Red accent    | <input type="checkbox"/> Blue accent   | Select Colour:<br><div style="border: 1px solid black; height: 20px; width: 100%;"></div> |
| <input type="checkbox"/> Purple accent |  |   |

**UPHOLSTERY**

Seat Upholstery

PDAXP041 Seat sling strap adjustable HD

Backrest Upholstery

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> PDAXP056 Airtech sport backrest strap adjustable HD | <input type="checkbox"/> XP070 Backrest upgrade to leather corners<br>\$120.00 (not with XG080) (Black) |
| <input type="checkbox"/> XP395 Nylon backrest centre pad                                |   |

Backrest Accessories

XP170 Individual backrest embroidery  
\$136.00 PLEASE COMPLETE PAGE 9

**CUSHION**

Cushion Options (choose one)

- XP080 **\$83.00** Cushion foam (select density and size below)
  - Soft (CMS040)
  - Medium (CMS050)
  - Hard (9lb recon)
  - 50mm
  - 75mm
  - 100mm
  - Other  mm

Cushion Cover Upgrades

- XP085 Nylon cushion cover (Black)
- XP090 **\$64.00** Air Lite cushion cover (Black)


**STRAPPING**

Velcro straps

- XS050 **\$119.00** 100mm Pro adjustable velcro strap
- XS055 **\$119.00** 50mm Pro adjustable velcro strap
- XS057 **\$119.00** 50mm Pro adjustable velcro **Knee** strap (measurement from tube to tube over knees)


Velcro strap position

Strap 1  Type



Specify strap length


 mm



Specify distance from back post


 mm

Strap 1  Type



Specify strap length

 mm



Specify distance from back post


 mm

Ratchet Straps

- XS020 **\$81.00** Sport ratchet strap (Click strap)
- XS025 **\$212.00** Pelvi Loc 2DA ratchet strap (For thighs and knees)
  - Select size:  Medium (12")  Large (14")
- XS030 **\$227.00** Pelvi Loc 3DA ratchet strap (For hips)
  - Select size:  Small (8")  Medium (12")
  - Large (14")  Extra Large (17")
- XS035 **\$135.00** M2 ratchet strap (For thighs and knees)
  - 8"  10"  12"

Ratchet strap position


Strap 1  Type



Specify distance from back post

 mm

Strap 2  Type



Specify distance from back post

 mm

- XS040 **\$85.00** Fixed mounting points (one set per click strap)
  - x1
  - x2
  - x3

**FRAME OPTIONS**

- XR060 **\$101.00** Calf strap mounting loops 
- XR065 **\$101.00** Strap location loops 

**BALL HOLDER**

- XR300 **\$99.00** Ball holder mounting points
  - Specify distance from back post
  - mm
- XR310 **\$172.00** Ball holder welded frame (please supply details on last page)
- XR320 **\$119.00** Ball holder fabric (please supply details on last page)

**ACCESSORIES**

- XR030 **\$99.00** Triple wheel bag (Black)
- XP130 **\$90.00** Frame protectors full length
- XS070 Foot strap (select if required)
- XS060 Calf strap (select if required)
- XP400 Back bar protector
- XR090 Tool kit

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:

OFF SPEC REQUEST\*

*(please specify below the page number(s) and details to which the off spec request applies.*

**OFF SPEC REQUEST APPROVED** *(for internal RGK office only)*

X

*RGK Internal Sign-off*

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.\*